



CLASS 1

Building Product Information Sheet

Cristina Mixers and Faucets

Building Product Information Requirements (BPIR)

Version: 1

Date Created: December 2023

Product Name	Cristina Mixers and Faucets		
Product Lines	Cristina mixers and faucets include basin mixers (deck mounted, wall mounted and floor-mounted), shower mixers, bath spouts, and two/three-piece faucets		
Product Identifier(s)	Cristina branded		

PRODUCT DESCRIPTION

- Cristina leadfree brass mixers& tapware ranges include basin, sink, shower mixers, and two/three-piece faucets.
- Finishes can be in chrome, or PVD (range dependent) and selected ranges have marble or stone lever options.
- Designed for mains pressure only.
- 35mm cartridges are used for mixers.
- Supplies hot and cold-water mixing operation.
- WELS rated for water efficiency in accordance to AS/NZS6400 based on average flow rate.

SCOPE OF USE

- Cristina leadfree brass mixers and faucets are designed for domestic and commercial applications.
- Ranges cover mains pressure applications.
- Care must be taken with chemicals and abrasives that may cause damage to the finish of the product. See warranty & installation instructions.
- Must be installed by a registered plumber and in accordance with AS/NZS3500 Plumbing Regulations.

CONDITIONS OF USE

- Cristina leadfree mixers and faucets must be installed by a registered plumber in accordance with the installation instructions provided with the product and to AS/NZS3500 plumbing regulations.
- As per AS/NZS3500 Plumbing Regulations "Inline filters and PLV (Pressure Limiting Valves) should be installed at each premises to protect the life of valves and cartridges."
- Cleaning and maintenance shall be done in accordance with the manufacturer's Warranty/Cleaning instructions.
- The pH of water in certain locations and installations can affect the performance or appearance of product.

RELEVANT BUILDING CODE CLAUSES

B2 Durability — B2.3.1 (b)
F2 Hazardous building materials — F2.3.1
G10 Piped services — G10.3.1
G12 Water Supplies — G12.3.2, G12.3.7
H1 Energy efficiency — H1.3.3







CONTRIBUTIONS TO COMPLIANCE

- B2.3.1 (a) (ii) and (iii): Cristina leadfree brass mixers and faucets have a durability of at least 10 years when not exposed to harsh abrasives or cleaning chemicals.
- F2.3.1: Cristina leadfree brass mixers and faucets are safe to handle when installed as per the supplied installation instructions. There are no requirements for this product to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1/AS1: Cristina leadfree brass mixers are required to be connected to a potable drinking water system and hot water reticulation system as per AS/NZS3500 Plumbing Standards and should be installed in accordance with the manufacturers installation instructions and by a registered plumber.
- G12/AS1 Water supply to tapware should be provided in accordance to AS/NZS3500 in relation to making sure the
 supply does not cause backflow or contamination into the potable water system. All work should be carried out by a
 registered plumber. Product complies to WELS AS/NZS6400 for water efficiency.
- H1.3.3: Hot water pipes supplying water to mixers should be properly lagged in accordance to AS/NZS3500. As per AS/NZS3500 all tapware should be protected by (TLV) temperature limiting valves, set to a max temp of 55deg.

SUPPORTING DOCUMENTATION

The following additional documentation supports the above statements:

Title (Type)	Version	URL
Warranty Period	1	https://www.metrix.co.nz/warranty

CONTACT DETAILS

Manufacture location	Overseas (Italy)
Legal and Trading name of manufacturer	Cristina Rubinetterie
Manufacturer website	https://www.cristinarubinetterie.com/en/
Legal and trading name of importer	Metrix Imports Ltd
Importer address for service	Metrix Building, 65 Parnell Rise Auckland 1052
Importer website	www.metrix.co.nz
Importer NZBN	9429033312378
Importer email	Info@metrix.co.nz
Importer phone number	09 379 7399

WARNINGS AND BANS

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

☐ Yes ☑ No

